

# CS

## MORTUARY PRESERVATION ROOMS



### GENERAL FEATURES

#### CONTROL PANEL:

Electronic digital regulator with red luminous display, complete with min and max temperature alarms and with RS 485 interface.

#### WORKING TEMPERATURE:

+4 e -20 °C

#### INT. EXT. FRAME.:

totally in preplasticized steel sheets , internal part in stainless steel 18/8

#### INTERNAL DOORS:

a tutta luce completi di guarnizioni in gomma inodore

#### INSULATION:

by foamed poliurethen with high isolational qualities

#### INTERNAL STRETCHERS:

realized with telescopic guides completely in stainless steel inox AISI 304

**REFRIGERATING PLANT:**

of hermetic type with air condenser

**TECHNICAL FEATURES**

Code	Model	Capacity l	Ext. Dimensions mm	N° Doors	Int. Stretchers	Power watt	Supply V	Weight lardo kg
01610121	CS 2	3700	1200X2240X2200 h	2	2	780	220/1/50 HZ	350
01610122	CS 4	6800	2100X2240X2200 h	4	4	1000	220/1/50 HZ	530
01610123	CS 6	10000	3000X2240X2200 h	6	6	1300	220/1/50 HZ	700
01610124	CS 8	14000	3900X2240X2200 h	8	8	1800	220/1/50 HZ	800
01610125	CS 10	17000	4800X2240X2200 h	10	10	2500	220/1/50 HZ	900
01610126	CS 12	22000	5100X2240X2200 h	12	12	2800	220/1/50 HZ	1000

With adding the suffix BT the cell will functionate at temperature -20°C

**STANDARD ACCESSORIES**

09920195 Electronic digital regulator with red luminous display, complete with min and max temperature alarms and with RS 485 interface.

09910172 Internal ventilation

00000000 Electronic automatic defrosting system

09910173 Safety Key-lock

**OPTIONAL ACCESSORIES**

09910151	Remotisation of the alarm
09916140	Extraction and change of the air for CS 2
09916141	Extraction and change of the air for CS 4
09916142	Extraction and change of the air for CS 6
09916147	Frame int. inox for CS 2 - CS 2/BT
09916148	Frame int. inox for CS 4 - CS 4/BT
09916149	Frame int. inox for CS 6 - CS 6/BT
09916153	Port-hole for internal doors serie +4°C
09916154	Port-hole for recognition serie +4°C
09916155	Port-hole for internal doors serie BT
09916156	Port-hole for recognition serie BT
09916157	Service door
09916158	Trailer for two stretchers mod. CPB 2
09940193	Graphical registration of the temperature
09916159	Elevating hydraulic trailer mod. CEI

**Characteristics and dates can be modified without forewarning.**

**C.T.I. s.r.l.**

**Climatic Technologies Industry**

**20812 LIMBIATE (MB) MILANO ITALY Via Monte Rosa, 27 Capannone 17**

**Tel. +390296460000 Fax +390296461445 e-mail: [info@ctisrl.eu](mailto:info@ctisrl.eu)**