

FT

PHITOLOGICAL CHAMBERS



GENERAL FEATURES

CONTROL PANEL:

Electronic digital regulator with red luminous display, complete with min and max temperature alarms and with RS 485 interface.

TEMPERATURE RANGE:

+5/+50°C

POWER SUPPLY:

V. 220/1/50Hz

INTERNAL/EXTERNAL FRAME.:

totally metallic in zinc-plasticized steel sheets of icy white and blue colour.

SERVICE DOOR:

with anticondence resistance on door frame. Every door stands on self-closing hinges with stop for opening at 90°. It has a special magnetic rubber washer for perfect closing. Every door has opening on the right or on the left: the standard is on the right.

INSULATION:

CFC FREE realized by expanded self-extinguishing polyurethane, density 38 kg/mc. The minimum thickness is 55 mm.

REFRIGERATING PLANT:

of hermetic type with silence, reliable compressor, equipped also with small rubber supports to eliminate vibrations.

HEATING:

with electrical resistance protected by a security thermostat

LIGHTING:

Lighting produced by fluorescent lamps of lux 2500

CODE	MODEL	CAPACITY	EXT. DIMENSIONS			TEMPERATURE RANGE	DOORS	VOLT	WEIGHT
02310000	FT 500	550	730	690	2090	+5/+50°C	1	220/1/50	100
02310100	FT 700	700	730	860	2090	+5/+50°C	1	220/1/50	130
02311200	FT 1000	1100	1460	690	2090	+5/+50°C	2	220/1/50	170
02312300	FT 1500	1500	1460	860	2090	+5/+50°C	2	220/1/50	210

STANDARD ACCESSORIES:

09920195 Electronic digital regulator with red luminous display, complete with min and max temperature alarms and with RS 485 interface

09923100 Lighting produced by fluorescent lamps of lux 2500

09910172 Internal ventilation

09910173 Safety Key-lock

09910125 N.2 Preplasticized inner shelves for FT 500

09910124 N.3 Preplasticized inner shelves per FT 700

09910125 N.4 Preplasticized inner shelves FT 1000

09910124 N.6 Preplasticized inner shelves FT 1500

EXTRA ACCESSORIES:

09922100 Timer lightening lux 5000 for FT 500/700

09922101 Timer lightening lux 5000 for FT 1000/1500

09915193 Recorder with weekly disc

09910138 All glass door

09910125 Additional inner shelf for FT 500/1000

09910124 Additional inner shelf for FT 700/1500

09910137 Hole diam. 35 mm. with rubber plug

Characteristics and data can be modified without forewarning.

C.T.I. s.r.l.

Climatic Technologies Industry

20812 LIMBIATE (MB) MILANO ITALY Via Monte Rosa, 27 Capannone 17

Tel. +390296460000 Fax +390296461445 e-mail: info@ctisrl.eu